

PATENT APPLICATION

**A SYSTEM AND METHOD FOR DETERMINING A
PREFERRED MIRRORED SERVICE IN A NETWORK BY
EVALUATING A BORDER GATEWAY PROTOCOL**

By Inventor:

Dhaval N. Shah
3480 Granada Avenue, #193
Santa Clara, California 95051
Citizen of India

Assignee: Cisco Technology, Inc.
170 W. Tasman Drive
San Jose, CA 95134-1706

Entity: Large

VAN PELT & YI, LLP
4906 El Camino Real
Suite 205
Los Altos, CA 94022

FIELD OF THE INVENTION

The present invention relates to accessing data in a network environment, such as the Internet, via a computer system. In particular, the present invention relates to a system and method for selecting a server for requested data by selecting an associated best Border Gateway Protocol attribute which meets a predetermined criteria.

BACKGROUND OF THE INVENTION

With the growing popularity of the Internet, providing speedy access to a requested location on the Internet is fast becoming a significant issue. For example, when a popular web page is hosted by a single computer, the Internet traffic to that computer can be overwhelming. To manage this problem, several computers can be utilized to host the same web page such that each hosting computer, typically referred to as a server, maintains a copy of the web page. If there are many servers at the same location, then the network connection to that location can become choked during a time of high Internet traffic. To avoid choking the network connection, mirrored servers are often located at different sites. These sites are herein referred to as mirrored sites. The use of multiple computers to host a network service, such as a web page, is typically referred to as mirrored services.

Figure 1 is a block diagram illustrating a path taken by a client's request for a particular address. A client may be any entity which attempts to access a service. For example, the client may be a user, company, or an automated computer system. Figure 1 shows a client 10 requesting an address for a network site, such as www.cisco.com,

from a local domain name server 12. The client's local domain name server 12 may be a service such as Netcom or AT&T. The local domain name server 12 then eventually learns the address of one of the mirrored services 14A-14B, and replies to the client 10 with the address of one of the mirrored services 14A-14B.

5 Figure 2 illustrates a basic organization of the Internet. The Internet includes groups of networks and routers which combine to create an autonomous system (AS) 50A-50E. A client may be located in one AS, such as AS50A, while the service which the client is attempting to access may be located in another AS, such as AS50E. In order to reach service 14, the request from client 10 may be passed from AS50A to
10 AS50B through AS50C, through AS50D, and finally reaching service 14 at AS50E.

In a mirrored service environment, the client 10 may be in one AS, such as AS50A, while the mirrored services may be located in various different autonomous systems, such as AS50E and AS50C. An address of one of these mirrored services is typically needed in response to the client's request.

15 There are several conventional ways of determining which mirrored service should be assigned to a requesting client. A selection of a mirrored service can be based on several factors. Ideally, the requested address should be returned to the client very quickly and download into the client's computer system as quickly as possible. The time between the request being sent out by the client and the address being received
20 is referred to as latency. The time it takes to download the requested data is typically determined by the band width.

One conventional service assignment scheme is a round robin scheme. The round robin simply takes turns on which mirrored service is to be used. A potential problem with the round robin scheme is that it does not take into consideration the
25 various loads of the mirrored services at any given time. Additionally, the round robin scheme also fails to take into consideration the location of the user. Accordingly, the

two factors of latency and band width are not typically considered in the round robin scheme.

When the service is a mirrored service, the mirrored services may be located in different autonomous systems. Some service selection methods attempt to measure the metric between the client 10 and each of the services 14. Metric is used herein to include a measurement of a unit which indicates distance or time or both. For example, one such method measures "hop count", wherein the number of autonomous systems located between client 10 and service 14 are counted. The mirrored service with the smallest hop count may be considered the best selection for that particular client.

Although the metric measurement methods are effective in many situations, there may be situations in which it is an advantage to have an alternate method for determining which mirrored service is best for a particular client. For example, one such situation is if the hop count between a client and a first server is the same as the hop count between the client and a second server. Although the hop count may be the same, the actual distances between the client and the first service and the client and the second service may be different. Another example of when an alternative method would be beneficial, is when an autonomous system is so large as to encompass more than one mirrored service. A client within that same autonomous system would not be able to use the hop count in order to determine which mirrored service is better for that client.

It would be desirable to have an alternative reliable method to determine which mirrored service is the best selection for a given client. The present invention addresses such a need.

SUMMARY OF THE INVENTION

An embodiment of the present invention is a system and method for selecting a mirrored service in a network, such as the Internet, by utilizing a Border Gateway
5 Protocol (BGP) attribute. According to an embodiment of the present invention, the BGP attribute, which may be stored in a border router, is accessed for each mirrored service for a prefix associated with the user requesting a host name. The attributes from each mirrored service are compared with each other to determine a “best” attribute which meets a predetermined criteria. The mirrored service associated with the best
10 attribute is then selected as a resolution for the host name.

A BGP attribute is meant herein to include supplemental information for the prefix associated with the user which is stored in a table in a border router. Examples of BGP attributes which may be used in accordance with embodiments of the present invention include multi-exit discriminator (MED), community attribute, and local
15 preference.

A method according to an embodiment of the present invention for selecting a mirrored service in a network environment is presented. The method comprising steps of providing a first border gateway protocol attribute and providing a second border gateway protocol attribute. The first border gateway protocol attribute is compared with
20 the second border gateway protocol attribute. One of the first border gateway protocol attribute and the second border gateway protocol attribute is selected, resulting in a selected attribute, wherein the selected attribute meets a predetermined criteria. A mirrored service associated with the selected attribute is then selected.

In another aspect of the invention, a system according to an embodiment of the present invention for selecting a mirrored service in a network environment is also
25 presented. The system includes a first protocol agent configured to provide a first border gateway protocol attribute and a second protocol agent configured to provide a

second border gateway protocol attribute. A distributed director is coupled with the first and second protocol agents to compare the first border gateway protocol attribute with the second border gateway protocol attribute, resulting in a selected attribute, wherein the selected attribute meets a predetermined criteria, and wherein a mirrored
5 service associated with the selected attribute is selected.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram illustrating a path taken by a user's request for a particular address.

5 Figure 2 is an illustration of a basic organization of the Internet.

Figure 3 is a block diagram of a computer system suitable for implementing the present invention.

Figure 4 is a block diagram of a router suitable for implementing the present invention.

10 Figure 5 is a flow diagram of a method according to an embodiment of the present invention for selecting a mirrored service.

Figure 6 is a block diagram of a multi-autonomous system according to an embodiment of the present invention for selecting a mirrored service.

15 Figure 7 is a block diagram of a system according to an embodiment of the present invention for selecting a mirrored service wherein multiple mirrored services are included in a single autonomous system.

Figure 8 is another flow diagram of a method according to an embodiment of the present invention for selecting a mirrored service.

20 Figure 9 is a flow diagram of a method according to an embodiment of the present invention for selecting a mirrored service by utilizing BGP community attributes.

Figure 10 is a flow diagram of a method according to an embodiment of the present invention for selecting a mirrored service by utilizing BGP MED values.

Figure 11 is a flow diagram of a method according to an embodiment of the present invention for selecting mirrored services by utilizing BGP local preferences.

Figure 11 is a flow diagram of a method according to an embodiment of the present invention for selecting mirrored services by utilizing BGP local preferences.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The following description is presented to enable one of ordinary skill in the art to make and to use the invention and is provided in the context of a patent application and its requirements. Various modifications to the preferred embodiments will be readily apparent to those skilled in the art and the generic principles herein may be applied to other embodiments. Thus, the present invention is not intended to be limited to the embodiment shown but is to be accorded the widest scope consistent with the principles and features described herein.

Figure 3 is a block diagram of a general purpose computer system 100 suitable for carrying out the processing in accordance with one embodiment of the present invention. Figure 3 illustrates one embodiment of a general purpose computer system. Other computer system architectures and configurations can be used for carrying out the processing of the present invention. Computer system 100, made up of various subsystems described below, includes at least one microprocessor subsystem (also referred to as a central processing unit, or CPU) 102. That is, CPU 102 can be implemented by a single-chip processor or by multiple processors. CPU 102 is a general purpose digital processor which controls the operation of the computer system 100. Using instructions retrieved from memory 110, the CPU 102 controls the reception and manipulation of input data, and the output and display of data on output devices.

CPU 102 is coupled bi-directionally with memory 110 which can include a first primary storage, typically a random access memory (RAM), and a second primary storage area, typically a read-only memory (ROM). As is well known in the art, primary storage can be used as a general storage area and as scratch-pad memory, and can also be used to store input data and processed data. It can also store programming instructions and data, in the form of data objects and text objects, in

addition to other data and instructions for processes operating on CPU 102. Also as well known in the art, primary storage typically includes basic operating instructions, program code, data and objects used by the CPU 102 to perform its functions.

Primary storage devices 110 may include any suitable computer-readable storage media, described below, depending on whether, for example, data access needs to be bi-directional or uni-directional. CPU 102 can also directly and very rapidly retrieve and store frequently needed data in a cache memory (not shown).

A removable mass storage device 112 provides additional data storage capacity for the computer system 100, and is coupled either bi-directionally or uni-directionally to CPU 102. For example, a specific removable mass storage device commonly known as a CD-ROM typically passes data uni-directionally to the CPU 102, whereas a floppy disk can pass data bi-directionally to the CPU 102. Storage 112 may also include computer-readable media such as magnetic tape, flash memory, signals embodied on a carrier wave, PC-CARDS, portable mass storage devices, holographic storage devices, and other storage devices. A fixed mass storage 120 can also provide additional data storage capacity. The most common example of mass storage 120 is a hard disk drive. Mass storage 112, 120 generally store additional programming instructions, data, and the like that typically are not in active use by the CPU 102. It will be appreciated that the information retained within mass storage 112, 120 may be incorporated, if needed, in standard fashion as part of primary storage 110 (e.g. RAM) as virtual memory.

In addition to providing CPU 102 access to storage subsystems, bus 114 can be used to provide access to other subsystems and devices as well. In the described embodiment, these can include a display monitor 118, a network interface 116, a keyboard 104, and a pointing device 106, as well as an auxiliary input/output device interface, a sound card, speakers, and other subsystems as needed. The pointing device 106 may be a mouse, stylus, track ball, or tablet, and is useful for interacting with a graphical user interface.

The network interface 116 allows CPU 102 to be coupled to another computer, computer network, or telecommunications network using a network connection as shown. Through the network interface 116, it is contemplated that the CPU 102 might receive information, *e.g.*, data objects or program instructions, from another network, or might output information to another network in the course of performing the above-described method steps. Information, often represented as a sequence of instructions to be executed on a CPU, may be received from and outputted to another network, for example, in the form of a computer data signal embodied in a carrier wave. An interface card or similar device and appropriate software implemented by CPU 102 can be used to connect the computer system 100 to an external network and transfer data according to standard protocols. That is, method embodiments of the present invention may execute solely upon CPU 102, or may be performed across a network such as the Internet, intranet networks, or local area networks, in conjunction with a remote CPU that shares a portion of the processing. Additional mass storage devices (not shown) may also be connected to CPU 102 through network interface 116.

An auxiliary I/O device interface (not shown) can be used in conjunction with computer system 100. The auxiliary I/O device interface can include general and customized interfaces that allow the CPU 102 to send and, more typically, receive data from other devices such as microphones, touch-sensitive displays, transducer card readers, tape readers, voice or handwriting recognizers, biometrics readers, cameras, portable mass storage devices, and other computers.

In addition, embodiments of the present invention further relate to computer storage products with a computer readable medium that contain program code for performing various computer-implemented operations. The computer-readable medium is any data storage device that can store data which can thereafter be read by a computer system. The media and program code may be those specially designed and constructed for the purposes of the present invention, or they may be of the kind well

known to those of ordinary skill in the computer software arts. Examples of computer-readable media include, but are not limited to, all the media mentioned above: magnetic media such as hard disks, floppy disks, and magnetic tape; optical media such as CD-ROM disks; magneto-optical media such as floptical disks; and
5 specially configured hardware devices such as application-specific integrated circuits (ASICs), programmable logic devices (PLDs), and ROM and RAM devices. The computer-readable medium can also be distributed as a data signal embodied in a carrier wave over a network of coupled computer systems so that the computer-readable code is stored and executed in a distributed fashion. Examples of program
10 code include both machine code, as produced, for example, by a compiler, or files containing higher level code that may be executed using an interpreter.

The computer system shown in Fig. 3 is but an example of a computer system suitable for use with the invention. Other computer systems suitable for use with the invention may include additional or fewer subsystems. In addition, bus 114 is
15 illustrative of any interconnection scheme serving to link the subsystems. Other computer architectures having different configurations of subsystems may also be utilized.

Figure 4 is a block diagram of an example of a router 150 suitable for implementing an embodiment of the present invention. The router 150 is shown to
20 include a master central processing unit (CPU) 166, low and medium speed interfaces 158, and high speed interfaces 162. In preferred embodiments, the CPU 166, is responsible for such router tasks as routing table computations and network management. It may include one or more microprocessor chips selected from complex instruction set computer (CISC) chips (such as the Motorola 68040 Microprocessor),
25 reduced instructions set computer (RISC) chips, or other available chips. In a preferred embodiment, non-volatile RAM and/or ROM also form part of CPU 166. However, there are many different ways in which memory can be coupled to the system.

The interfaces 158 and 162 are typically provided as interface cards. Generally, they control the sending and receipt of data packets over the network and sometimes support other peripherals used with the router 150. The low and medium interfaces 158 include a multiport communications interface 152, a serial communications interface 154, and a token ring interface 156. The high speed interfaces 162 include an FDDI interface 164 and a multiport ethernet interface 160. Preferably, each of these interfaces (low/medium and high speed) includes (1) a plurality of ports appropriate for communication with the appropriate media, and (2) an independent processor such as the 2901 bit slice processor (available from Advanced Micro Devices Corporation of Santa Clara, California), and in some instances (3) volatile RAM. The independent processors control such communication intensive tasks as packet switching and filtering, and media control and management. By providing separate processors for the communication intensive tasks, this architecture permits the master microprocessor 166 to efficiently perform routing computations, network diagnostics, security functions, etc.

The low and medium speed interfaces are coupled to the master CPU 166 through a data, control, and address bus 168. High speed interfaces 162 are connected to the bus 168 through a fast data, control, and address bus 172 which is internally connected to a bus controller 170. The bus controller functions are provided by a processor such as a 2901 bit slice processor.

Although the system shown in Figure 4 is an example of a router suitable for implementing an embodiment of the present invention, it is by no means the only router architecture on which the present invention can be implemented. For example, an architecture having a single processor that handles communications as well as routing computations, etc. would also be acceptable. Further, other types of interfaces and media could also be used with the router.

Figure 5 is a flow diagram of a method according to an embodiment of the present invention for selecting a mirrored service. The method shown in Figure 5 may

be applied to either a system with mirrored services located in multiple autonomous systems (an example of which is shown in Figure 6) or a system with multiple mirrored services located in a single autonomous system (an example of which is shown in Figure 7). According to the flow diagram of Figure 5, a client requests a local domain name server (DNS) for an Internet Protocol (IP) address of a host name, via step 400. An example of a host name may be www.cisco.com. The local DNS may then contact the requested services name server for the requested IP address for the host name, via step 402. A predetermined Border Gateway Protocol (BGP) attribute is accessed for each mirrored service (MS), via step 404. Details of the BGP attribute will later be discussed in conjunction with the remaining figures.

The attributes from each mirrored service are compared with each other to determine a “best” attribute which meets a predetermined criteria, via step 406. The mirrored service associated with the best attribute is selected as a resolution for the host name, via step 408.

Figure 6 is a block diagram of a multi-autonomous system according to an embodiment of the present invention for selecting a mirrored service. Figure 6 shows autonomous systems 500A-500D. A client 502 is shown to be coupled to a local domain server 504 within autonomous system 500A. In this example, the client 502 requests the IP address of a host name, such as www.cisco.com. The client’s request is sent to the local domain name server 504, which in turn eventually sends a request to the host name server 508.

In this example, the host name server is cisco.com name server. The host name server 508 may be located in a separate autonomous system, such as autonomous system 500B. The host name server 508 then interacts with a distributed director 506 and a director response protocol agent 510 in order to determine which mirrored service (MS) 512, 514, or 520, is the best selection to respond to the client’s request. The

distributed director 506 may be any device which is capable of transparently directing a client to the best mirrored service. Examples of such a distributed director is

Distributed Director model #4700m, or Distributed Director model #2500m, both of which are manufactured by Cisco Systems, Inc. The director response protocol agent

5 510 may be any device which is capable of transparently measuring or calculating round trip times. Examples of such a device include Cisco 7500 Router, Cisco 7200 Router, Cisco 4700 Router, and Cisco 2500 Router, all of which are manufactured by Cisco Systems, Inc. "Transparent" is herein meant to indicate a process which is not seen by a user.

10

The distributed director 506 then sends a request to each DRP agent 510, 516, and 518 in the various autonomous systems 500B-500D in which the mirrored services 512, 514, and 520 are located. The distributed director 506 requests of each DRP agent 510, 518, 516, a predetermined Border Gateway Protocol (BGP) attribute for a prefix associated with the client.

15

The Border Gateway Protocol information is typically used by border routers 550a-550c for purposes of sharing information between autonomous systems. Border routers 550a-550b are routers designed to communicate between autonomous systems.

20 By using the Border Gateway Protocol information, autonomous system A will have appropriate information to be able to communicate with autonomous system B.

Border routers 550a-550c may contain attributes for prefixes associated with various clients. A prefix indicates a set of IP addresses assigned to an autonomous system. For example, a unique address of a client may be 71.69.22.0, wherein the last numerical value may vary from 0 to 256. Although each user in an autonomous system may have a unique address, 257 of the users may have the same prefix. For each prefix, there may be a set of attributes associated with it. These attributes include supplemental information for each prefix. A BGP attribute is meant herein to include

25

supplemental information for the prefix associated with the user which is stored in a table in a border router.

Each DRP agent 510, 516, 518, then looks up the requested Border Gateway Protocol (BGP) attribute from the nearest border router 550a-550c. Examples of BGP attributes include Multi Exit Discriminator (MED), community attribute, and local preference. Each DRP agent 510, 516, 518, then replies to the distributed director 506 with its own BGP attributes. The distributed director 506 can then compare the various attributes and determine the best mirrored service. An example of a best mirrored service is the mirrored service associated with the "best" BGP attribute. An example of a "best" BGP attribute is an attribute which meets a predetermined criteria. The distributed director 506 can then reply to the local domain name server 504 with an IP address for the selected mirrored service.

Figure 7 is a block diagram of a system according to an embodiment of the present invention for selecting a mirrored service, wherein a single autonomous system is shown to include multiple mirrored services. Figure 7 is shown to include autonomous systems 500A' - 500C'. The client 502 is shown to be located in autonomous system 500C'. Autonomous system 500C' is shown to be coupled to autonomous system 500D', which in turn is shown to be coupled autonomous system 500A'.

In 500A', several mirrored services 512', 514', and 520' are shown to be included in a single autonomous system 500A'. The mirrored services are shown to be coupled to DRP agents 510', 516', and 518', which in turn are coupled to a distributed director, 506'. Each of the DRP agents 510', 516', and 518', are shown to be coupled to a border router 550d - 550f. Although an autonomous system normally includes multiple routers, a few are selected to be border routers 550d - 550f. These border

routers 550d - 550f perform the function of facilitating communication outside of AS500A'.

In this example, the border routers 550d - 550f are shown to be coupled to autonomous system 500B'. Each border router 550d - 550f are coupled to AS500B' via connections 552A - 552I. A multi-exit discriminator (MED) value dynamically indicates which link 552A - 552C to use between AS500B' and AS500A' by border router 550d to send data for a particular prefix. For example, client 502 of AS500C' will have a prefix to its IP address. This particular prefix will have an associated MED value which indicates to border router 550d which link 552A - 552C to use for the prefix of client 502. Likewise, a MED value associated with the prefix for client 502 will also indicate which link 552D - 552F to use for border router 550e, and another MED value will indicate which link 552G - 552I to use for border router 550f for a particular clients' prefix. Typically, the lower the MED value the more preferred a particular link is for use with a particular prefix.

Figure 8 is another flow diagram of a method according to an embodiment of the present invention for selecting a mirrored service. The method shown in Figure 8 may be applied to either the system shown in Figure 6 or the system shown in Figure 7. As previously discussed, the client requests the local domain name server for an IP address of a host name, such as www.cisco.com, via step 600. The local domain name server then contacts a domain name server root name server for an IP address of the host name, via step 602. It is common for local domain name servers to contact a root name server for further direction. Root name servers and their uses are well known in the art.

The local domain name server is eventually directed to ask the requested services name server, such as cisco.com name sever, via step 604. The local domain name server then contacts the service's name server for an IP address of the host name,

via step 606. The local domain name server is then referred to the distributed director, for example to dd.cisco.com, via step 608. The local domain name server then contacts the distributed director, via step 610. The distributed director then contacts the distributed response protocol (DRP) agents, located near the various mirrored servers, regarding metric information, via step 612. Metric information can include distance information as well as time information.

Each DRP agent associated with each mirrored service looks up a predetermined Border Gateway Protocol (BGP) attribute associated with a prefix of the client, via step 614.

Each DRP agent then returns its BGP attribute to the distributed director, via step 616. The distributed director then compares the BGP attributes associated with the clients prefix and determines a "best" attribute, via step 618. As previously stated, the "best" attribute may be an attribute which meets a predetermined criteria. The distributed director then returns the IP address of the mirrored service associated with the best attribute to the local DNS as a resolution for the host name, via step 620.

Figure 9 is a flow diagram of an example of the method according to an embodiment of the present invention for selecting a mirrored service. This example may be applied to either the system shown in Figure 6 or the system shown in Figure 7. In this example, the method utilizes a community attribute associated with the client's prefix. A community attribute is a string which is stored for each prefix which indicates some uniqueness for the prefix.

As before, the client requests a local DNS for an IP address of a host name, such as www.cisco.com, via step 700. The local DNS contacts the DNS root name server for an IP address of the host name, via step 702. The root name server directs the local DNS to ask the service's name server, such as cisco.com name server, via

step 704. The local DNS then contacts the services name server for an IP address for the host name, via step 706.

The local DNS is then referred to the distributed director, such as dd.cisco.com, via step 708. The local DNS then contacts the distributed director, via step 710. The distributed director then contacts the DRP agents about a community attribute associated with the prefix of the client, via step 712. DRP agents associated with each mirrored service looks up its community attribute associated with the clients prefix, via step 714. Each DRP agent then returns its community attributes to the distributed director, via step 716. The distributed director compares the community attributes to a predetermined community attribute and selects a DRP agent associated with the community attribute matching the predetermined community attribute, via step 718. The predetermined community attribute may be selected in various ways. One such way is for the community attribute to be selected by a user, such as a network administrator.

Figure 10 is a flow diagram of another example of the method according to an embodiment of the present invention for selecting a mirrored service. This example is preferably used in conjunction with the system of multiple mirrored services included in a single autonomous system, such as the system shown in Figure 7. In this example, a mirrored service is selected by utilizing a BGP MED value. A client requests a local DNS or IP address of a host name, such as www.cisco.com, via step 900. The local DNS then contacts the DNS root name server for an IP address of the host name, via step 902. The local DNS is eventually directed to ask the service's name server, such as cisco.com name server, via step 904.

The local DNS contacts the services name server for IP address for the host name, via step 906. The local DNS is then referred to a distributed director, such as dd.cisco.com, via step 908. The local DNS then contacts the distributed director, via

step 910. The distributed director then contacts its DRP agents about metric information, via step 912.

5 The DRP agents associated with each mirrored service looks up a predetermined BGP MED value associated with a prefix of the client, a BGP autonomous system number in which the DRP agent is located, and an IP address of a border router for the DRP, via step 914. Each DRP agent then returns its BGP attributes to the distributed director, via step 916.

10 The distributed director compares the BGP attributes, selects a BGP MED which meets a predetermined criteria, such as the lowest BGP MED, and determines a preferred exit point, via step 918. An exit point refers to a border router. The distributed director then sends another query to each DRP agent asking for internal gateway protocol metric to the preferred exit point, via step 920. For example, as
15 shown in Figure 7, if the border router 550f is selected as the preferred exit point, then each DRP agent 510', 516' and 518' would look up its internal gateway protocol metric to the border router 550f. The internal gateway protocol metric maybe the distance between the DRP agent 510', 516', 518', and the preferred border router 550f. Alternatively, the internal gateway protocol metric may be a measure of time for a
20 packet sent from a DRP agent 510', 516', 518' to reach the preferred border router 550f. The internal gateway protocol metric may be stored in table located in a border router.

Each DRP agent then returns the requested value to the distributed director, via
25 step 922. The distributed director then selects the mirrored service associated with the DRP agent which has the lowest internal gateway protocol metric to the preferred border router, via step 924.

Figure 11 is a flow diagram of yet another example of the method according to an embodiment of the present invention. This example is preferably used in conjunction with a system which includes multiple mirrored services within a single autonomous system, such as the system shown in Figure 7. In this example, a mirrored service is selected by utilizing a local preference associated with the client's prefix.

A BGP local preference is a value configured on BGP border routers. Since there are typically multiple border routers in a single autonomous system, the BGP local preference indicates which border router is preferred to be used to communicate with a client with a particular prefix.

As in the other examples, a client requests the local DNS for IP address of a host name, such as www.cisco.com, via step 1100. The local DNS then contacts its DNS root name server for the IP address of the host name, via step 1102. The local DNS is then eventually directed to ask the service's name server, such as cisco.com name server, via step 1104. The local DNS then contacts the service's name server for an IP address for the host name, via step 1106.

The local DNS is then referred to the distributed director, such as dd.cisco.com, via step 1108. The local DNS then contacts the distributed director, via step 1110. The distributed director then asks the DRP agents for its local preference associated with the clients prefix, via step 1112. The DRP associated with each mirrored service then looks up the local preference associated with the clients prefix, via step 1114. Each DRP agent then returns its local preference to the distributed director, via step 1116. The distributed director then compares the local preferences and selects mirrored server associated with the DRP agent with a local preference which meets a predetermined criteria, such as the lowest local preference, via step 1118.

A method and system for selecting a mirrored service has been disclosed. Software written according to the present invention may be stored in some form of computer-readable medium, such as memory or CD-ROM, or transmitted over a network, and executed by a processor.

5

Although the present invention has been described in accordance with the embodiment shown, one of ordinary skill in the art will readily recognize that there could be variations to the embodiment and these variations would be within the spirit and scope of the present invention. Accordingly, many modifications may be made by one of ordinary skill in the art without departing from the spirit and scope of the appended claims.

10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207